



Anakie Primary School

ANAPHYLAXIS POLICY 2021

Anakie Primary School and Anakie Primary After School Care believes that the safety and wellbeing of children who are at risk of anaphylaxis is a whole-of-community responsibility. The school and centre is committed to:

- Providing, as far as practicable, a safe and healthy environment in which children at risk of anaphylaxis can participate equally in all aspects of the children's program and experiences
- Raising awareness about allergies and anaphylaxis amongst the service community and children in attendance
- Actively involving the parents/guardians of each child at risk of anaphylaxis in assessing risks, developing risk minimization strategies and management strategies for their child
- Ensuring each staff member and other relevant adults have adequate knowledge of allergies, anaphylaxis and emergency procedures
- Facilitating communication to ensure the safety and wellbeing of children at risk of anaphylaxis

PURPOSE

The aim of this policy is to:

- Minimise the risk of an anaphylactic reaction occurring while the child is in the care of the children's service
- Ensure that staff members respond appropriately to an anaphylactic reaction by initiating appropriate treatment, including competently administering an adrenaline auto-injection device
- Raise the service community's awareness of anaphylaxis and its management through education and policy implementation

SCOPE

The Children's Services Act 1996 requires proprietors of licensed children's services including Family Day Care (FDC) and Out of School Hours Care (OSHC) to have an anaphylaxis management policy in place. This policy will be required whether or not there is a child diagnosed at risk of anaphylaxis enrolled at the service. It will apply to children enrolled at the service, their parents/guardians, staff and licensee as well as to other relevant members of the service community, such as volunteers and visiting specialists. The Children's Services Regulations 2009 include the matters to be included in the policy, practices and procedures related to anaphylaxis management and staff training.

BACKGROUND AND LEGISLATION

Anaphylaxis is a severe, life-threatening allergic reaction. Up to two per cent of the general population and up to five per cent (0-5years) of children are at risk. The most common causes in young children are eggs, peanuts, tree nuts, cow milk, bee or other insect stings, and some medications.

Young children may not be able to express the symptoms of anaphylaxis.

A reaction can develop within minutes of exposure to the allergen, but with planning and training, a reaction can be treated effectively by using an adrenaline auto-injection device.

The school and service recognises the importance of all staff/carers responsible for the child or children at risk of anaphylaxis undertaking training that includes preventative measures to Minimise the risk of an anaphylactic reaction, recognition of the signs and symptoms of anaphylaxis and emergency treatment, including administration of an auto-injection device.

Staff /carers and parents/guardians need to be made aware that it is not possible to achieve a completely allergen-free environment in any service that is open to the general community. Staff /carers should not have a false sense of security that an allergen has been eliminated from the environment. Instead the school and service recognises the need to adopt a range of procedures and risk minimisation strategies to reduce the risk of a child having an anaphylactic reaction, including strategies to minimise the presence of the allergen in the service.

LEGISLATION

Children's Services Act 1996

Children's Services Regulations 2009

Health Act 1958

Health Records Act 2001

Occupational Health and Safety Act 2004

Ministerial Order 706

DEFINITIONS

Allergen: A substance that can cause an allergic reaction.

Allergy: An immune system response to something that the body has identified as an allergen. People genetically programmed to make an allergic response will make antibodies to particular allergens.

Allergic reaction: A reaction to an allergen. Common signs and symptoms include one or more of the following: hives, tingling feeling around the mouth, abdominal pain, vomiting and/or diarrhea, facial swelling, cough or wheeze, difficulty swallowing or breathing, loss of consciousness or collapse (child pale or floppy), or cessation of breathing.

Ambulance contact card: A card that the service has completed, which contains all the information that the Ambulance Service will request when phoned on 000. An example of this is the card that can be obtained from the Metropolitan Ambulance Service and once completed by the service it should be kept by the telephone from which the 000 phone call will be made.

Anaphylaxis: A severe, rapid and potentially fatal allergic reaction that involves the major body systems, particularly breathing or circulation systems.

Anaphylaxis medical management action plan: a medical management plan prepared and signed by a Registered Medical Practitioner providing the child's name and allergies, a photograph of the child and clear instructions on treating an anaphylactic episode. An example of this is the Australian Society of Clinical Immunology and Allergy (ASCI) Action Plan.

Anaphylaxis management training: accredited anaphylaxis management training that has been recognised by the Secretary of the Department of Education and Early Childhood Development and includes strategies for anaphylaxis management, recognition of allergic reactions, risk minimisation strategies, emergency treatment and practice using the trainer adrenaline auto-injection device.

Adrenaline auto-injection device: A device containing a single dose of adrenaline, delivered via a spring-activated needle, which is concealed until administered.

EpiPen®: This is one form of an auto-injection device containing a single dose of adrenaline, delivered via a spring-activated needle, which is concealed until administered. Two strengths are available, an EpiPen® and an EpiPen Jr®, and are prescribed according to the child's weight. The EpiPen Jr® is recommended for a child weighing 10-20kg. An EpiPen® is recommended for use when a child is in excess of 20kg.

Adrenaline auto-injection device training: training in the administration of adrenaline via an auto-injection device provided by allergy nurse educators or other qualified professionals such as doctors, first aid trainers, through accredited training or through the use of the self-paced trainer CD ROM and trainer auto-injection device.

Children at risk of anaphylaxis: those children whose allergies have been medically diagnosed and who are at risk of anaphylaxis.

Auto-injection device kit: An insulated container, for example an insulated lunch pack containing a current adrenaline auto-injection device, a copy of the child's anaphylaxis medical management action plan, and telephone contact details for the child's parents/guardians, the doctor/medical service and the person to be notified in the event of a reaction if the parent/guardian cannot be contacted. If prescribed an antihistamine may be included in the kit. Auto-injection devices are stored away from direct heat.

Intolerance: Often confused with allergy, intolerance is a reproducible reaction to a substance that is not due to the immune system.

No food sharing: The practice where the child at risk of anaphylaxis eats only that food that is supplied or permitted by the parent/guardian, and does not share food with, or accept other food from any other person.

Nominated staff member: A staff member nominated to be the liaison between parents/guardians of a child at risk of anaphylaxis and the licensee. This person also checks the adrenaline auto-injection device is current, the auto-injection device kit is complete and leads staff practice sessions after all staff have undertaken anaphylaxis management training.

Communication plan: A plan that forms part of the policy outlining how the service will communicate with parents and staff in relation to the policy and how parents and staff will be informed about risk minimisation plans and emergency procedures when a child diagnosed at risk of anaphylaxis is enrolled in the service.

Risk minimisation: The implementation of a range of strategies to reduce the risk of an allergic reaction including removing, as far as is practicable, the major sources of the allergen from the service, educating parents and children about food allergies and washing hands after meals.

Risk minimisation plan: A plan specific to the service that specifies each child's allergies, the ways that each child at risk of anaphylaxis could be accidentally exposed to the allergen while in the care of the service, practical strategies to minimise those risks, and who is responsible for implementing the strategies. The risk minimisation plan should be developed by families of children at risk of anaphylaxis and staff at the service and should be reviewed at least annually, but always upon the enrolment or diagnosis of each child who is at risk of anaphylaxis. A sample risk minimisation plan is outlined in Schedule 3 of this document.

Service community: all adults who are connected to the children's service.

Treat box: A container provided by the parent/guardian that contains treats, for example, foods which are safe for the child at risk of anaphylaxis and used at parties when other children are having their treats. Non-food rewards, for example stickers, stamps and so on are to be encouraged for all children as one strategy to help reduce the risk of an allergic reaction.

PROCEDURES

Anakie Primary School and Anakie Primary Out of School Hours Care are legally required to have:

- An anaphylaxis management policy in place
- An anaphylaxis management plan for each student diagnosed at risk of anaphylaxis signed by a medical practitioner
- Prevention strategies in place covering incidents in and out of the school setting
- A communication plan to raise staff, student and school community awareness about severe allergies and school policies
- Provide to the parent or guardian of each child diagnosed at risk of anaphylaxis at the service a copy of this policy
- Regular training (yearly) and updates (6 monthly) for school staff in recognizing and responding to anaphylactic reactions including competently administering an adrenaline auto-injector.

It is also DET policy for schools to:

- Develop an Anaphylaxis Risk Management Checklist to be completed on an annual basis
- Purchase spare or 'backup' adrenaline auto-injection devices(s) as part of the school first aid kit(s), for general use

Anakie Primary School and Anakie Primary Out of School Hours Care will also have:

- A notice displayed prominently in the main entrance of OSHC stating that a child diagnosed at risk of anaphylaxis is being cared for or educated at the service
- The Action Plan for Anaphylaxis on display
- Emergency contact card will be placed by the telephone
- All staff will know the location of the anaphylaxis medical management plan and that a copy is kept with the auto-injection device Kit
- Provide information to the service community about resources and support for managing allergies and anaphylaxis

Staff responsible for the child at risk of anaphylaxis shall:

- Have a copy of the child's anaphylaxis medical management action plan in attendance book and this will be known by all staff
- Follow the child's anaphylaxis medical management action plan in the event of an allergic reaction, which may progress to anaphylaxis
- In the situation where a child who has not been diagnosed as allergic, but who appears to be having an anaphylactic reaction:
 - Call an ambulance immediately by dialing 000
 - Commence first aid measures
 - Contact the parent/guardian
 - Contact the person to be notified in the event of illness if the parent/guardian cannot be contacted.
- Practice the administration procedures of the adrenaline auto-injection device using an auto-injection device trainer and "anaphylaxis scenarios" each term
- Ensure that an anaphylaxis medical management action plan signed by the child's Registered Medical Practitioner and a complete auto-injection device kit (which must contain a copy the child's anaphylaxis medical management action plan) is provided by the parent/guardian for the child while at the service
- Ensure that the auto-injection device kit is stored in a location that is known to all staff, including relief staff; easily accessible to adults (not locked away); inaccessible to children; and away from direct sources of heat
- Ensure that the auto-injection device kit containing a copy of the anaphylaxis medical management action plan for each child at risk of anaphylaxis is carried by a staff member or family day carer accompanying the child when the child is removed from the service or the home e.g. on excursions that this child attends
- Regularly check the adrenaline auto-injection device expiry date. (The manufacturer will only guarantee the effectiveness of the adrenaline auto-injection device to the end of the nominated expiry month)

Parents/guardians of children shall:

- Inform staff at the children's service, either on enrolment or on diagnosis, of their child's allergies
- Develop an anaphylaxis risk minimisation plan with service staff
- Provide staff with an anaphylaxis medical management action plan signed by the Registered Medical Practitioner giving written consent to use the auto-injection device in line with this action plan
- Provide staff with a complete auto-injection device kit

- Regularly check the adrenaline auto-injection device expiry date
- Assist staff by offering information and answering any questions regarding their child's allergies
- Notify the staff of any changes to their child's allergy status and provide a new anaphylaxis action plan in accordance with these changes
- Communicate all relevant information and concerns to staff, for example, any matter relating to the health of the child
- Comply with the service's policy that no child who has been prescribed an adrenaline auto-injection device is permitted to attend the service or its programs without that device.

Implementation Date: 05.2021

Review Date: 05.2022

Evaluation:

Reference:

DEECD [Anaphylaxis Policy and Guidelines](#)

[Ministerial Order 706 – Anaphylaxis Management in Victorian schools](#)

www.allergy.org.au

Royal Children's Hospital Anaphylaxis Advisory Line - this is available between the hours of 8.30 am to 5 pm, Monday to Friday. Phone 1300 725 911 (toll free) or (03) 9345 4235) or visit Allergy & Anaphylaxis Australia website: www.allergyfacts.org.au